

WHITE HANDFLARE

Drew Marine Signal and Safety Germany GmbH

Chemwatch: **65-6268**Version No: **3.1.1.1**Safety Data Sheet (Conforms to Regulation (EC) No 2015/830)

Issue Date: **08/09/2016**Print Date: **22/09/2016**S.REACH.GBR.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product Identifier

Product name	WHITE HANDFLARE
Synonyms	Comet white handflare, ArtNo. 9162500, Pains Wessex white handflare MK8, Item No: 9527510
Proper shipping name	SIGNAL DEVICES, HAND
Other means of identification	Not Available

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions. Sea distress signal. For collison and illumination. For use in day and night short range collision warning situations and for illuminating small areas. Fully extend handle, remove white end cap, pull toggle sharply away from body. Hold above head, outboard and downwind. Store on board in our Mini or Large Polybottles.
Uses advised against	Not Applicable

1.3. Details of the supplier of the safety data sheet

Registered company name	Drew Marine Signal and Safety Germany GmbH
Address	Vieländer Weg 147 Bremerhaven 27574 Germany
Telephone	+49 471 3930
Fax	+49 471 3932 10
Website	www.signalandsafety.com
Email	info@signalandsafety.com

1.4. Emergency telephone number

Association / Organisation	Consultant Lutz Harder GmbH
Emergency telephone numbers	+49 178 433 7434
Other emergency telephone numbers	CHEMWATCH: From whithin the US and CANADA: 1 877 715 9305 OR call +613 9573 3112. From outside the US and Canada: +800 2436 2255 (+800 CHEMCALL) or +61 3 9573 3112

SECTION 2 HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to regulation (EC) No 1272/2008 [CLP] [1]	Explosive Division 1.4
Legend:	1. Classified by Chemwatch; 2. Classification drawn from EC Directive 67/548/EEC - Annex I; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

2.2. Label elements

CLP label elements



Do not subject to grinding/shock/sources of friction.

SIGNAL WORD WARNING

Hazard statement(s)

11204	The or projection flazard.		
Precautionary statement(s) Prevention			
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		

Chemwatch: **65-6268** Page **2** of **12**

Version No: 3.1.1.1 WHITE HANDFLARE Print Date: 22/09/2016

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.

Precautionary statement(s) Response

P370+P380	In case of fire: Evacuate area.	
P372	Explosion risk in case of fire.	
P374	Fight fire with normal precautions from a reasonable distance.	
P373	DO NOT fight fire when fire reaches explosives.	

Precautionary statement(s) Storage

P401	Store according to local regulations for explosives.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

REACh - Art.57-59: The mixture does not contain Substances of Very High Concern (SVHC) at the SDS print date.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

3.1.Substances

See 'Composition on ingredients' in Section 3.2

3.2.Mixtures

1.CAS No 2.EC No 3.Index No 4.REACH No	%[weight]	Name	Classification according to regulation (EC) No 1272/2008 [CLP]
		device contains	
		lighter composition, delay composition and ignition composition	
		polytechnic materials of;	
1.7757-79-1 2.231-818-8 3.Not Available 4.01-2119488224-35-XXXX	10-30	potassium nitrate	Oxidizing Solid Category 3, Acute Toxicity (Oral) Category 4, Eye Irritation Category 2; H272, H302 H319 [1]
1.10042-76-9 2.233-131-9 3.Not Available 4.01-2119615605-42-XXXX	10-30	strontium nitrate	Oxidizing Solid Category 3, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H272, H315, H319, H335 [1]
1.10022-31-8 2.233-020-5 3.Not Available 4.Not Available	1-5	barium nitrate	Oxidizing Solid Category 2, Acute Toxicity (Oral) Category 4, Acute Toxicity (Inhalation) Category 4, Eye Irritation Category 2; H272, H302, H332, H319 [1]
1.7429-90-5 2.231-072-3 3.013-001-00-6, 013-002-00-1 4.01-2119529243-45-XXXX	10-30	aluminium	Emit Flammable Gases with Water Category 3, Pyrophoric Solid Category 1; H261, H250 [3]
1.7778-74-7 2.231-912-9 3.017-008-00-5 4.Not Available	10-30	potassium perchlorate	Oxidizing Solid Category 1, Acute Toxicity (Oral) Category 4; H271, H302 [3]
1.7704-34-9. 2.231-722-6 3.016-094-00-1 4.01-2119487295-27-XXXX, 01-2119520616-43-XXXX, 01-2119520710-53-XXXX, 01-2119422098-42-XXXX, 01-2119422098-42-XXXX,	5-10	<u>sulfur</u>	Flammable Solid Category 2, Skin Corrosion/Irritation Category 2, Eye Irritation Category 2; H228, H315, H319 [1]
1.9002-86-2 2.Not Available 3.Not Available 4.Not Available	10-30	polyvinyl chloride	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation); H315, H319, H335 [1]
1.7439-95-4 2.231-104-6 3.012-001-00-3, 012-002-00-9 4.01-2119537203-49-XXXX, 01-2119940954-29-XXXX	30-60	magnesium	Emit Flammable Gases with Water Category 1, Pyrophoric Solid Category 1; H260, H250 [3]
Legend:		 by Chemwatch; 2. Classification dra cation drawn from C&L	wn from EC Directive 67/548/EEC - Annex I ; 3. Classification drawn from EC Directive 1272/2008 - Ann

Issue Date: 08/09/2016

WHITE HANDFLARE

SECTION 4 FIRST AID MEASURES

4.1. Description of first aid measures

General	If skin contact occurs:	
Eye Contact	If this product comes in contact with eyes: ► Wash out immediately with water. ► If irritation continues, seek medical attention. ► Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.	
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR necessary. Transport to hospital, or doctor, without delay. 	
Ingestion	Not considered a normal route of entry. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.	

4.2 Most important symptoms and effects, both acute and delayed

See Section 11

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIREFIGHTING MEASURES

5.1. Extinguishing media

DANGER: Deliver media remotely.

- ► For minor fires: Flooding quantities only.
- For large fires: **Do not** attempt to extinguish.

Apply by mechanical means only.

5.2. Special hazards arising from the substrate or mixture

5.2. Openial nazaras arising from the substrate of mixture			
Fire Incompatibility	Avoid contact with other chemicals.		
5.3. Advice for firefighters			
	WARNING: EXPLOSIVE MATERIALS / ARTICLES PRESENT!		
	► Evacuate all personnel and move upwind.		
	▶ Prevent re-entry.		
	▶ Alert Fire Brigade and tell them location and nature of hazard.		
	▶ May detonate and burning material may be propelled from fire.		
	▶ Wear full-body protective clothing with breathing apparatus.		
Fire Fighting	▶ Prevent, by any means available, spillage and fire effluent from entering drains and water courses.		
	▶ Fight fire from safe distances and from protected locations.		
	▶ Use flooding quantities of water.		
	▶ DO NOT approach containers or packages suspected to be hot.		
	► Cool any exposed containers not involved in fire from a protected location		

► Equipment should be thoroughly decontaminated after use. Slight hazard when exposed to heat, flame and oxidisers.

Chemwatch: 65-6268 Page 4 of 12 Issue Date: 08/09/2016 Version No: 3.1.1.1 Print Date: 22/09/2016

WHITE HANDFLARE

Fire/Explosion Hazard

Division 1.4 Substances, mixtures and articles which present no significant hazard: substances, mixtures and articles which present only a small hazard in the event of ignition or initiation. The effects are largely confined to the package and no projection of fragments of appreciable size or range is to be expected. An external fire shall not cause virtually instantaneous explosion of almost the entire contents of the package.

Compatibility Group G explosives are pyrotechnic substances, or article containing a pyrotechnic substances, or article containing both an explosive substance and an illuminating, incendiary, tear- or smoke-producing substance (other than a water-activated article or one containing white phosphorus, phosphides, a pyrophoric substance, a flammable liquid or gel, or hypergolic liquids).

Combustible. Will burn if ignited Combustion products include; carbon monoxide (CO) carbon dioxide (CO2) other pyrolysis products typical of burning organic material

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

See section 8

6.2. Environmental precautions

See section 12

6.3. Methods and material	for containment and cleaning up
Minor Spills	WARNING!: EXPLOSIVE. BLAST and/or PROJECTION and/or FIRE HAZARD Clean up all spills immediately. Avoid inhalation of the material and avoid contact with eyes and skin. Wear impervious gloves and safety glasses. Remove all ignition sources. Use spark-free tools when handling. Sweep into non-sparking containers or barrels and moisten with water. Place spilled material in clean, sealable, labelled container for disposal. Flush area with large amounts of water.
Major Spills	WARNING: EXPLOSIVE. Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear full body protective clothing with breathing apparatus. Consider evacuation (or protect in place). In case of transport accident notify Police, Emergency Authority, Competent Explosives Authority or Manufacturer. No smoking, naked lights, heat or ignition sources. Increase ventilation. Use extreme caution to prevent physical shock. Use only spark-free shovels and explosion-proof equipment. Collect recoverable material and segregate from spilled material. Wash spill area with large quantities of water.

6.4. Reference to other sections

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

7.1. Precautions for safe h	nandling
Safe handling	 Handle gently. Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS. Avoid all personal contact, including inhalation. Avoid smoking, naked lights, heat or ignition sources. Explosives must not be struck with metal implements. Avoid mechanical and thermal shock and friction. Use in a well ventilated area. Avoid contact with incompatible materials. When handling DO NOT eat, drink or smoke. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately.
Fire and explosion protection	See section 5
Other information	 Store cases in a well ventilated magazine licenced for the appropriate Class, Division and Compatibility Group. Rotate stock to prevent ageing. Use on FIFO (first in-first out) basis. Observe manufacturer's storage and handling recommendations contained within this SDS. Store in a cool place in original containers. Keep containers securely sealed. No smoking, naked lights, heat or ignition sources. Store in an isolated area away from other materials. Keep storage area free of debris, waste and combustibles. Protect containers against physical damage. Check regularly for spills and leaks NOTE: If explosives need to be destroyed contact the Competent Authority. Store away from incompatible materials.

7.2. Conditions for safe storage, including any incompatibilities

Keep out of reach of children.

Suitable container

- All packaging for Class 1 Goods shall be in accordance with the requirements of the relevant Code for the transport of Dangerous Goods.
- ► Class 1 is unique in that the type of packaging used frequently has a very decisive effect on the hazard and therefore on the assignment to a particular

WHITE HANDFLARE

Issue Date: 08/09/2016 Print Date: 22/09/2016

- division
- Avoid contact with other explosives, pyrotechnics, solvents, adhesives, paints, cleaners and unauthorized metals, plastics, packing equipment and materials.
- $\blacktriangleright \ \ \ \ \, \text{Avoid contamination with acids, alkalis, reducing agents, amines and phosphorus.}$
- ▶ Explosion hazard may follow contact with incompatible materials

7.3. Specific end use(s)

Storage incompatibility

See section 1.2

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

DERIVED NO EFFECT LEVEL (DNEL)

Not Available

PREDICTED NO EFFECT LEVEL (PNEC)

Not Available

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
UK Workplace Exposure Limits (WELs)	barium nitrate	Barium compounds, soluble (as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available
European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0,5 mg/m3	Not Available	Not Available	Not Available
EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)	barium nitrate	Barium (soluble compounds as Ba)	0.5 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	aluminium	Aluminium metal inhalable dust / Aluminium metal respirable dust	10 mg/m3 / 4 mg/m3	Not Available	Not Available	Not Available
UK Workplace Exposure Limits (WELs)	polyvinyl chloride	Polyvinyl chloride inhalable dust / Polyvinyl chloride respirable dust	10 mg/m3 / 4 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
potassium nitrate	Potassium nitrate	0.074 mg/m3	0.82 mg/m3	600 mg/m3
strontium nitrate	Strontium nitrate	0.2 mg/m3	2.2 mg/m3	370 mg/m3
barium nitrate	Barium nitrate	2.9 mg/m3	18 mg/m3	2100 mg/m3
aluminium	Aluminum	3 mg/m3	33 mg/m3	200 mg/m3
potassium perchlorate	Potassium perchlorate	23 mg/m3	250 mg/m3	1500 mg/m3
sulfur	Sulfur	2.8 mg/m3	31 mg/m3	190 mg/m3
polyvinyl chloride	Polyvinyl chloride	3 mg/m3	33 mg/m3	200 mg/m3
magnesium	Magnesium	0.016 mg/m3	0.17 mg/m3	1 mg/m3

Ingredient	Original IDLH	Revised IDLH
potassium nitrate	Not Available	Not Available
strontium nitrate	Not Available	Not Available
barium nitrate	1,100 mg/m3	50 mg/m3
aluminium	Not Available	Not Available
potassium perchlorate	Not Available	Not Available
sulfur	Not Available	Not Available
polyvinyl chloride	Not Available	Not Available
magnesium	Not Available	Not Available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Engineering controls for explosive articles are designed to reduce or eliminate fragmentation and/or blast effects either by suppression of the source of detonation or by protection at the exposed location, or both. Barricades, shields, contained detonation chambers, and "zero quantity-distance (Q-D)" magazines are examples of engineering controls.


Engineering controls are designed and tested in a rigorous fashion. The construction of the engineering control must be carefully duplicated in field applications to assure it will function properly.

It is thus imperative that engineering controls be built exactly in accordance with the design package, and that they be used only for the articles (e.g.munitions) for which they are authorised.

Version No: **3.1.1.1**

WHITE HANDFLARE

Issue Date: **08/09/2016**Print Date: **22/09/2016**



Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

8.2.3. Environmental exposure controls

See section 12

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Steel tube with orange/yellow outer casing pressed with black/grey polytechnical ingredients, contains ignitor and a grip.		
Physical state	Manufactured	Relative density (Water = 1)	Not Applicable
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	>160
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Applicable	Viscosity (cSt)	Not Applicable
Initial boiling point and boiling range (°C)	Not Applicable	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	160	Taste	Not Available
Evaporation rate	Not Applicable	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Applicable
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Applicable
Vapour pressure (kPa)	Not Applicable	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

9.2. Other information

Not Available

SECTION 10 STABILITY AND REACTIVITY

10.1.Reactivity	See section 7.2
10.2. Chemical stability	 Presence of shock and friction Presence of heat source and ignition source Product is considered stable under normal handling conditions. Stable under normal storage conditions. Hazardous polymerization will not occur. Avoid contact with other chemicals.
10.3. Possibility of hazardous reactions	See section 7.2
10.4. Conditions to avoid	See section 7.2
10.5. Incompatible materials	See section 7.2
10.6. Hazardous decomposition products	See section 5.3

Chemwatch: **65-6268**Version No: **3.1.1.1**

ALUMINIUM & POTASSIUM PERCHLORATE & POLYVINYL CHLORIDE Page **7** of **12**

WHITE HANDFLARE

Issue Date: **08/09/2016** Print Date: **22/09/2016**

Information on toxic	ological effects			
Inhaled	Not normally a hazard due to physical form of product. Inhalation of vapour is more likely at higher than normal temper The vapour is discomforting	atures.		
Ingestion	Not normally a hazard due to physical form of product.			
Skin Contact	Not normally a hazard due to physical form of product. The vapour is discomforting			
Eye	Not normally a hazard due to physical form of product. The vapour is discomforting			
Chronic	► Generally not applicable.			
	TOXICITY	IRRITATION		
WHITE HANDFLARE	Not Available	Not Available		
	TOXICITY	IRRITATION		
potassium nitrate	dermal (rat) LD50: >5000 mg/kg ^[1]	Nil reported		
potassium imate	Oral (rat) LD50: >2000 mg/kg ^[1]	·		
	TOXICITY	IRRITATION		
strontium nitrate	Oral (rat) LD50: 1892 mg/kg ^[2]	Nil reported		
	TOXICITY	IRRITATION		
barium nitrate	Oral (rat) LD50: 355 mg/kg ^[2]	Eye (rabbit):100 mg/24h - moderate		
		Skin (rabbit): 500 mg/24h - mild		
	TOXICITY	IRRITATION		
aluminium	Oral (rat) LD50: >2000 mg/kg ^[1]	Not Available		
potassium perchlorate	TOXICITY	IRRITATION		
potassium percinorate	Not Available	Not Available		
	TOXICITY	IRRITATION		
outfur.	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (human): 8 ppm irritant		
sulfur	Inhalation (rat) LC50: >5.43 mg/L/4hr ^[1]			
	Oral (rat) LD50: >2000 mg/kg ^[1]			
polyvinyl chloride	TOXICITY	IRRITATION		
polyvinyi chloride	Not Available	Not Available		
	TOXICITY	IRRITATION		
magnesium	Oral (rat) LD50: >2000 mg/kg ^[1]	Nil reported [Manufacturer]		
Legend:	Nalue obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical S	 - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified dataubstances 		
BARIUM NITRATE		lammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. ed exposure and may produce on contact skin redness, swelling, the production of vesicles,		
POLYVINYL CHLORIDE	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. Evidence of carcinogenicity may be inadequate or limited in an	imal testing.		
STRONTIUM NITRATE & POLYVINYL CHLORIDE	reactive airways dysfunction syndrome (RADS) which can occ of RADS include the absence of preceding respiratory disease, to hours of a documented exposure to the irritant. A reversible a on methacholine challenge testing and the lack of minimal lymp	after exposure to the material ceases. This may be due to a non-allergenic condition known as ur following exposure to high levels of highly irritating compound. Key criteria for the diagno- in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minu- airflow pattern, on spirometry, with the presence of moderate to severe bronchial hypermious shocytic inflammation, without eosinophilia, have also been included in the criteria for diagno- an infrequent disorder with rates related to the concentration of and duration of exposure to		

(often particulate in nature) and is completely reversible after exposure ceases. The disorder is characterised by dyspnea, cough and mucus production.

No significant acute toxicological data identified in literature search.

Chemwatch: 65-6268 Page 8 of 12 Issue Date: 08/09/2016 Version No: 3.1.1.1 Print Date: 22/09/2016

WHITE HANDFLARE

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

🗶 – Data available but does not fill the criteria for classification

✓ – Data required to make classification available

O - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

12.1. Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
potassium nitrate	LC50	96	Fish	22.5mg/L	4
potassium nitrate	EC50	48	Crustacea	490mg/L	2
potassium nitrate	EC50	96	Algae or other aquatic plants	1181.887mg/L	3
potassium nitrate	EC50	96	Crustacea	39mg/L	2
potassium nitrate	NOEC	96	Fish	98.9mg/L	2
strontium nitrate	LC50	96	Fish	>40.3mg/L	2
strontium nitrate	EC50	48	Crustacea	94mg/L	2
strontium nitrate	EC50	72	Algae or other aquatic plants	>43.3mg/L	2
strontium nitrate	EC50	72	Algae or other aquatic plants	>43.3mg/L	2
strontium nitrate	NOEC	480	Algae or other aquatic plants	15mg/L	2
barium nitrate	LC50	96	Fish	>3.5mg/L	2
barium nitrate	EC50	72	Algae or other aquatic plants	>1.92mg/L	2
barium nitrate	EC50	72	Algae or other aquatic plants	>34.31mg/L	2
barium nitrate	NOEC	72	Algae or other aquatic plants	>=1.92mg/L	2
aluminium	LC50	96	Fish	0.078-0.108mg/L	2
aluminium	EC50	48	Crustacea	0.7364mg/L	2
aluminium	EC50	96	Algae or other aquatic plants	0.0054mg/L	2
aluminium	BCF	360	Algae or other aquatic plants	9mg/L	4
aluminium	EC50	120	Fish	0.000051mg/L	5
aluminium	NOEC	72	Algae or other aquatic plants	>=0.004mg/L	2
potassium perchlorate	EC10	24	Algae or other aquatic plants	>1000mg/L	4
sulfur	LC50	96	Fish	<14mg/L	4
sulfur	EC50	48	Crustacea	>0.005mg/L	2
sulfur	EC50	72	Algae or other aquatic plants	290mg/L	2
sulfur	EC50	120	Algae or other aquatic plants	10.14mg/L	2
sulfur	NOEC	504	Crustacea	>0.0025mg/L	2
polyvinyl chloride	LC50	96	Fish	2.315mg/L	3
polyvinyl chloride	EC50	96	Algae or other aquatic plants	25.141mg/L	3
magnesium	LC50	96	Fish	541mg/L	2
magnesium	EC50	48	Crustacea	344mg/L	2
magnesium	EC50	72	Algae or other aquatic plants	>12mg/L	2
magnesium	EC50	72	Algae or other aquatic plants	>12mg/L	2
magnesium	NOEC	72	Algae or other aquatic plants	>=12mg/L	2

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -Legend: Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

12.2. Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
potassium nitrate	LOW	LOW
sulfur	LOW	LOW
polyvinyl chloride	LOW	LOW

12.3. Bioaccumulative potential

Ingredient	Bioaccumulation
potassium nitrate	LOW (LogKOW = 0.209)

Page 9 of 12

Issue Date: **08/09/2016** Print Date: **22/09/2016**

WHITE HANDFLARE

sulfur	LOW (LogKOW = 0.229)
polyvinyl chloride	LOW (LogKOW = 1.6233)

12.4. Mobility in soil

Ingredient	Mobility
potassium nitrate	LOW (KOC = 14.3)
sulfur	LOW (KOC = 14.3)
polyvinyl chloride	LOW (KOC = 23.74)

12.5. Results of PBT and vPvB assessment

	P	В	Т
Relevant available data	Not Available	Not Available	Not Available
PBT Criteria fulfilled?	Not Available	Not Available	Not Available

12.6. Other adverse effects

No data available

SECTION 13 DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Product / Packaging disposal

- ▶ Explosives must not be thrown away, buried, discarded or placed with garbage.
- ► Explosives which are surplus, deteriorated or considered unsafe for transport, storage or use shall be destroyed and the statutory authorities shall be notified.
- This material may be disposed of by burning or detonation but the operation may only be performed under the control of a person trained in the safe destruction of explosives.
 Refer to local Waste Disposal Authority and supplier for suitable disposal procedure.

Waste treatment options Not Available
Sewage disposal options Not Available

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant	NO
HAZCHEM	Е

Land transport (ADR)

14.1.UN number	0191	
14.2.UN proper shipping name	SIGNAL DEVICES, HAND	
14.3. Transport hazard class(es)	Class 1.4G Subrisk Not Applicable	
14.4.Packing group	Not Applicable	
14.5.Environmental hazard	Not Applicable	
14.6. Special precautions for user	Hazard identification (Kemler) Classification code Hazard Label Special provisions Limited quantity	Not Applicable 1.4G 1.4 Not Applicable 0

Air transport (ICAO-IATA / DGR)

14.1. UN number	0191	
14.2. UN proper shipping name	Signal devices, hand	
14.3. Transport hazard class(es)	ICAO/IATA Class 1.4G ICAO / IATA Subrisk Not Applicable ERG Code 1L	

Issue Date: **08/09/2016**Print Date: **22/09/2016**

WHITE HANDFLARE

14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Special provisions	Not Applicable	
	Cargo Only Packing Instructions	135	
	Cargo Only Maximum Qty / Pack	75 kg	
14.6. Special precautions for	Passenger and Cargo Packing Instructions	Forbidden	
user	Passenger and Cargo Maximum Qty / Pack	Forbidden	
	Passenger and Cargo Limited Quantity Packing Instructions	Forbidden	
	Passenger and Cargo Limited Maximum Qty / Pack	Forbidden	
	3, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,	1	
Sea transport (IMDG-Code	/ GGVSee)		
14.1. UN number	0191		
14.2. UN proper shipping name	SIGNAL DEVICES, HAND		
14.3. Transport hazard	IMDG Class 1.4G		
class(es)	IMDG Subrisk Not Applicable		
	' "		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	EMS Number F-B, S-X		
14.6. Special precautions for user	Special provisions Not Applicable		
	Limited Quantities 0		
Inland waterways transpor	t (ADN)		
14.1. UN number	0191		
14.2. UN proper shipping name	SIGNAL DEVICES, HAND		
14.3. Transport hazard class(es)	1.4G Not Applicable		
14.4. Packing group	Not Applicable		
14.5. Environmental hazard	Not Applicable		
	Classification code 1.4G		
	Special provisions Not Applicable		
14.6. Special precautions for	Limited quantity 0		
user	Equipment required PP		
	Fire cones number 1		

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

$lap{POTASSIUM NITRATE(7757-79-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS}$

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

STRONTIUM NITRATE(10042-76-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

BARIUM NITRATE(10022-31-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU Consolidated List of Indicative Occupational Exposure Limit Values (IOELVs)
European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs)

European Union (EU) Commission Directive 2006/15/EC establishing a second list of indicative occupational exposure limit values (IOELVs) (Spanish)

UK Workplace Exposure Limits (WELs)

 \parallel ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Version No: **3.1.1.1**

WHITE HANDFLARE

Issue Date: **08/09/2016**Print Date: **22/09/2016**

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Trade Union Confederation (ETUC) Priority List for REACH Authorisation

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

UK Workplace Exposure Limits (WELs)

POTASSIUM PERCHLORATE(7778-74-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

SULFUR(7704-34-9.) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

European Customs Inventory of Chemical Substances ECICS (English)

European Union - European Inventory of Existing Commercial Chemical Substances (EINECS) (English)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

POLYVINYL CHLORIDE(9002-86-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles European Customs Inventory of Chemical Substances ECICS (English)

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

UK Workplace Exposure Limits (WELs)

MAGNESIUM(7439-95-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

EU REACH Regulation (EC) No 1907/2006 - Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles European Customs Inventory of Chemical Substances ECICS (English)
European Union - European Inventory of Existing Commercial Chemical Substances (EINECS)

European Union (EU) Annex I to Directive 67/548/EEC on Classification and Labelling of Dangerous Substances - updated by ATP: 31

European Union (EU) Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures - Annex VI

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

This safety data sheet is in compliance with the following EU legislation and its adaptations - as far as applicable -: 98/24/EC, 92/85/EC, 94/33/EC, 91/689/EEC, 1999/13/EC, Commission Regulation (EU) 2015/830, Regulation (EC) No 1272/2008 and their amendments

15.2. Chemical safety assessment

(English)

For further information please look at the Chemical Safety Assessment and Exposure Scenarios prepared by your Supply Chain if available.

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (strontium nitrate; sulfur; barium nitrate; magnesium; polyvinyl chloride; aluminium; potassium perchlorate; potassium nitrate)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	N (polyvinyl chloride)
Japan - ENCS	N (sulfur; magnesium; aluminium)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Full text Risk and Hazard codes

H228	Flammable solid.
H250	Catches fire spontaneously if exposed to air.
H260	In contact with water releases flammable gases which may ignite spontaneously.
H261	In contact with water releases flammable gases.
H271	May cause fire or explosion; strong oxidiser.
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

Chemwatch: 65-6268 Page 12 of 12 Issue Date: 08/09/2016 Version No: 3.1.1.1 Print Date: 22/09/2016

WHITE HANDFLARE

Other information

Ingredients with multiple cas numbers

Name	CAS No
strontium nitrate	10042-76-9, 13470-05-8
barium nitrate	10022-31-8, 34053-87-7
aluminium	7429-90-5, 91728-14-2

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using

A list of reference resources used to assist the committee may be found at:

www.chemwatch.net

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

For detailed advice on Personal Protective Equipment, refer to the following EU CEN Standards:

EN 166 Personal eye-protection

EN 340 Protective clothing

EN 374 Protective gloves against chemicals and micro-organisms

EN 13832 Footwear protecting against chemicals

EN 133 Respiratory protective devices